


Exposed ZEMS6003AV Model For 3/4" Urinals



Flow	Or	otio	ns
------	----	------	----

☐ -WS1☐ Standard Flush1.0 Gal. Low Consumption☐ Standard Flush

Suffix Options (Check/Specify Appropriate Options)

-VP Vandal Resistant Stop Screw
-YJ Split Ring Pipe Support
-YK Solid Ring Pipe Support
Other

Accessories (Order seperate as specified)

PESS6000-BB Battery Back-up (Up to 8 valves) **P6000-PC6** 6VDC Plug-in Power Converter

(Up to 8 valves)

P6000-MJ Mini Junction Box

P6000-HW6 Hardwire Power Converter

(Up to 8 valves)

This space is for Architectural/engineering Approval

ENGINEERING SPECIFICATION: ZURN ZEMS6003AV AguaSense®AV' Exposed Hardwired Automatic Sensor Flush Valve For 3/4" Urinals- Exposed, quiet diaphragm-type, chrome plated, flushometer valve with a polished exterior. Complete with Zurn's AquaVantage® TPE, chloramine resistant, dual seal diaphragm with a clog resistant, triple filtered by-pass. The valve incorporates a 6 VDC motorized actuator, an automatic sensor with a high back pressure vacuum breaker, one piece hex coupling nut, adjustable tailpiece, spud coupling and flange for top spud connection. Switchable sensor features include: courtesy flush, automatic 8 hour flush, and diagnostic indicator lights. Control stop has internal siphon-guard protection, vandal resistant stop cap, sweat solder kit, and a cast wall flange with set screw. Internal seals are made of chloramine resistant materials. Electrical box by others (see installation instrucions for type and size). Note: Order power converter separate, one power converter operates up to eight valves.

NOTE: MUST USE EITHER ZURN P6000-HW6 HARDWIRE POWER CONVERTER OR ZURN P6000-PC6 PLUG-IN POWER CONVERTER TO ENSURE PROPER OPERATION. USING A POWER CONVERTER OTHER THAN ZURN MAY RESULT IN OPERATION MALFUNCTION OR UNIT FAILURE.

ZURN INDUSTRIES, INC. ♦ COMMERCIAL BRASS OPERATION ♦ 5900 ELWIN BUCHANAN DRIVE ♦ SANFORD NC 27330
Phone: 1-800-997-3876 ♦ Fax: 919-775-3541 ♦ World Wide Web: www.zurn.com
In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905-405-8272 Fax: 905-405-1292