


SINGLE BASIN FAUCET Z82701

$T \wedge C$		
IAG		
., .		



Engineering Specifications: Zurn AquaSpec® Z82701

Polished chrome-plated single basin faucet with integral shank, quarter turn ceramic disc cartridge and a 3-3/4" [95mm] long integral cast spout. Unit is furnished with a 2.2 GPM [8.3 L] pressure compensating aerator (complying with ANSI A112.18.1 Standard for flow), 2-1/2" [64mm] vandal-resistant color-coded metal lever handle, mounting hardware and a 1/2" NPSM coupling nut for standard lavatory riser.



Note: All dimensions are for reference only. Do not use for pre-plumbing

OPTIONAL ACCESSORIES

OF HOMAL ACCESSORIES		
Suffix Description		
CP4	Chrome-Plated 4" [102mm] Cover Plate	
HCT	Hot/Cold Text Indexes	
G	1-1/4" [32mm] Grid Strainer Drain	
MYCS	Mixing Yoke with 1/2"[13mm] Check Stop Inlets	
PT	1-1/4" [32mm] Cast Brass P-Trap with a 7-1/2" [191mm] Long 17-Gauge Wall Bend	
2M	2.2 GPM [8.3 L] Vandal-Resistant Pressure Compensating Male Aerator	
3M	0.5 GPM [1.9 L] Vandal-Resistant Pressure Compensating Male Spray Outlet	
4M	2.2 GPM [8.3 L] Vandal-Resistant Pressure Compensating Male Laminar Flow	
7M	1.0 GPM [3.8 L] Pressure Compensating Male Spray Outlet	
16M	1.0 GPM [3.8 L] Vandal-Resistant Pressure Compensating Male Spray Outlet	
17M	1.5 GPM [5.7 L] Vandal-Resistant Pressure Compensating Male Aerator	
18M	1.5 GPM [5.7 L] Vandal-Resistant Pressure Compensating Laminar Flow	
19M	1.5 GPM [5.7 L] Anti-Microbial Pressure Compensating Male Laminar Flow Outlet	
20M	1.0 GPM [3.8L] Vandal-Resistant Pressure Compensating Anti-Microbial Male Laminar Flow Outlet	
21M	1.0 GPM [3.8L] Male Laminar Flow Outlet	
22M	1.0 GPM [3.8L] Vandal-Resistant Male Laminar Flow Outlet	

ZURN INDUSTRIES LLC ♦ COMMERCIAL BRASS OPERATION ♦ 2640 SOUTH WORK STREET ♦ FALCONER NY 14733

Phone: 1-716-665-1132 ♦ Fax: 1-716-665-1135 ♦ World Wide Web: www.zurn.com
In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292